

Serwis z podziałami

Lokalna firma z branży przemysłowej planuje zaktualizować swoją witrynę internetową tak by odpowiadała aktualnym potrzebom oraz docierała bez problemu do zagranicznej części klientów. Wybrane warunki współpracy z web deweloperem zakładają przygotowanie systemu wspierającego wielojęzyczny interfejs odwiedzającego oraz treść witryny zlokalizowaną dla klientów z konkretnych regionów europy. Za lokalizowanie treści będą odpowiadać pracownicy firmy, którzy będą pracować na przygotowanym systemie.

➤ Działania

1. Ukończyć poprzednie zadanie #12_multilingual-content
2. Stworzyć grupy dla użytkowników zgodne z podziałem na kategorie językowe treści
3. Stworzyć użytkowników Redaktorów dla wybranych języków treści
4. Przypisać użytkowników Redaktorów do wybranych grup językowych
5. Nadać uprawnienia w kategoriach dla grup językowych
6. Przetestować wprowadzone ustawienia

➤ Efekt

Zalogowany Użytkownik-Redaktor treści niemieckich: gpEditor-DE

Intro-Art DE

Details

Geschrieben von Super User

Kategorie: [German](#)

📅 Veröffentlicht: 19. Januar 2021

👁️ Zugriffe: 21



🖨️ Drucken

✎ Bearbeiten

Bildung durch Katastrophe

Blog uber IT, bildung und LEGO Blöcke

Intro-Art EN

Details

Written by Super User

Category: [English](#)

📅 Published: 19 January 2021

👁️ Hits: 21



🖨️ Print

Education through disaster

Blog about IT, education & LEGO bricks

➤ Grupy

Grupa nadrzędna: Author

The screenshot shows the Joomla! 'Users: Groups' management interface. At the top, there's a header with the Joomla! logo and a title bar. Below the header, there are buttons for 'New', 'Edit', and 'Delete'. A search bar is present with the text 'edit' and a 'Clear' button. The main content area displays a list of user groups. Each group entry includes a checkbox, the group name, a link to 'Advanced Permissions Report', and a status indicator (green checkmark or red X) followed by the ID number.

Group Title	Status	ID
Editor Advanced Permissions Report	1 (green)	4
Editor-DE Advanced Permissions Report	1 (green)	11
Editor-EN Advanced Permissions Report	1 (green)	10
Editor-PL Advanced Permissions Report	1 (green)	12

➤ Użytkownicy

Każdego użytkownika przypisać do właściwej grupy treści językowej oraz ustawić język profilu na taki jakiej narodowości jest użytkownik (np. gpEditor-DE → język niemiecki).

The screenshot shows the Joomla! 'Users' management interface. It features a header with the Joomla! logo and a title bar. Below the header, there are buttons for 'New', 'Edit', 'Activate', 'Block', 'Unblock', 'Delete', and 'Batch'. A search bar is present with the text 'Search' and a 'Clear' button. The main content area displays a list of users. Each user entry includes a checkbox, the user name, a link to 'Advanced Permissions Report', and a status indicator (green checkmark or red X) followed by the ID number.

Name	Username	Enabled	Activated	User Groups	ID
Super User Add a Note Advanced Permissions Report	root	1 (green)	1 (green)	Super Users	43
gpUser Add a Note Advanced Permissions Report	gpUser	1 (green)	1 (green)	Registered	44
gpEditor Add a Note Advanced Permissions Report	gpEditor	1 (green)	1 (green)	Registered Editor	45
gpEditor-PL Add a Note Advanced Permissions Report	gpEditor-PL	1 (green)	1 (green)	Registered Editor-PL	47
gpEditor-DE Add a Note Advanced Permissions Report	gpEditor-DE	1 (green)	1 (green)	Registered Editor-DE	48
gpEditor-EN Add a Note Advanced Permissions Report	gpEditor-EN	1 (green)	1 (green)	Registered Editor-EN	49

📌 Uprawnienia kategorii

Dla każdej kategorii przydzielonej do wybranego języka należy ustawić uprawnienia dla grup w taki sposób, by uprawnienia Tworzenia, Kasowania i Edycji:

- ➔ kategoria językowa odpowiadająca grupie językowej miała NADANE,
- ➔ natomiast wspomniana kategoria dla innych grup miała ODEBRANE.

Przykładowa grupa: kategoria na treści w **języku niemieckim**
NADAJ uprawnienia dla grupy języka niemieckiego

Title * Alias

Category Options Publishing Associations **Permissions**

Manage the permission settings for the user groups below. See notes at the bottom.

Action	Select New Setting	Calculated Setting
Create	<input type="text" value="Inherited"/>	Allowed (Inherited)
Delete	<input type="text" value="Inherited"/>	Not Allowed (Inherited)
Edit	<input type="text" value="Allowed"/>	Allowed
Edit State	<input type="text" value="Inherited"/>	Not Allowed (Inherited)
Edit Own	<input type="text" value="Inherited"/>	Allowed (Inherited)

Public

- Guest
- Manager
- Administrator
- Registered
- Author
- Editor
- Publisher
- Editor-DE**
- Editor-EN
- Editor-PL

ODBIERZ uprawnienia dla grup innych niż języka niemieckiego

Title * Alias

Category Options Publishing Associations **Permissions**

Manage the permission settings for the user groups below. See notes at the bottom.

Action	Select New Setting	Calculated Setting
Create	<input type="text" value="Denied"/>	Not Allowed
Delete	<input type="text" value="Inherited"/>	Not Allowed (Inherited)
Edit	<input type="text" value="Inherited"/>	Not Allowed (Inherited)
Edit State	<input type="text" value="Inherited"/>	Not Allowed (Inherited)
Edit Own	<input type="text" value="Denied"/> ✓	Not Allowed

Public

- Guest
- Manager
- Administrator
- Registered
- Author
- Editor
- Publisher
- Editor-DE
- Editor-EN**
- Editor-PL

📌 Potwierdzenie

Wykonaj zrzuty ekranu potwierdzające każdy krok wykonanego zadania.